

Data preparation

Claudius Gräbner-Radkowsch

2024-04-26

Table of contents

1	Packages and data used	1
2	General remarks	2
3	Reshaping data with the tidyr package	2
3.1	Wide and long format: definition	2
3.2	Transforming long data into wide data	3
3.3	Transforming wide data into long data	4
4	Chaining wrangling tasks using pipes	5
5	Manipulating data with the dplyr package	6
5.1	Creating or manipulating variables	7
5.2	Filtering rows	8
5.3	Selecting columns	9
5.4	Merging data sets	11
5.5	Grouping and summarising data	14
6	A final example	16

1 Packages and data used

```
library(dplyr)
library(tidyr)
library(data.table)
library(here)
```

The data sets used in these notes are available from the [course homepage](#):

- `wrangling_data_raw.csv` (`data_raw`)
- `wrangling_data_raw_long.csv` (`data_raw_long`)
- `wrangling_data_final_expl.csv` (`data_final_expl`)
- `wrangling_gini_join.csv` (`gini_join`)

- `wrangling_gdp_join.csv` (`gdp_join`)

The brackets show the names of the data sets used below.

2 General remarks

- If you imported the data from a file, make sure that the import went as expected
- Start with a data set that is of the type `tibble` (use `tibble::as_tibble()` if necessary)
- Before starting to wrangle, make a note to yourself of how the final data set should look like;
 - Then think about the different steps you need to take to reach this goal;
 - Each step should only address one single wrangling challenge
- It is often useful to save the wrangling code in one script in which you import raw data in the beginning and save tidy data in the end; this allows you to keep data wrangling, visualization, and modelling in separate files

3 Reshaping data with the tidyr package

At the end of each data wrangling activity, you should have created [tidy data](#). The R package that contains functions meant to assist you in this process is called [tidyr](#). While it contains functions for various purposes, the by far most common (and, to be honest, to most demanding) task is to reshape data from long to wide format and vice versa. This will be the focus of this section. Tutorials on the other `tidyr`-functions can be found on the official package documentation, but these functions are more specific and not as important in daily practice as those for reshaping data.

3.1 Wide and long format: definition

There is no strict definition for wide and long data. Rather, the two should be understood as *relative* descriptions of data, meaning that it is more straightforward to speak of a data set that is *longer* relative to another one, rather than *a long* data set per se.

Here is an example for a rather long data set:

	country	year	variable	value
	<char>	<int>	<char>	<num>
1:	Germany	2017	unemp	3.75
2:	Germany	2017	gdp	53071.46
3:	Germany	2018	unemp	3.38
4:	Germany	2018	gdp	53431.39
5:	Greece	2017	unemp	21.49
6:	Greece	2017	gdp	28604.86
7:	Greece	2018	unemp	19.29
8:	Greece	2018	gdp	29141.17

Here, we have one column identifying the variable, the value of which is stored in a separate column. This means that the data is relatively ‘long’ in the sense of having many rows. At the same time, it is relatively ‘narrow’ in the sense of not having too many columns since the variable identifier is kept in a single column.

Contrast this with an example for a rather wide data set, where each variable has its own column:

```

country year unemp      gdp
  <char> <int> <num>    <num>
1: Germany 2017  3.75 53071.46
2: Germany 2018  3.38 53431.39
3:  Greece 2017 21.49 28604.86
4:  Greece 2018 19.29 29141.17

```

While the number of columns remains the same, the data set has relatively more columns as compared to the rows. At the same time, it tends to be shorter in the sense of having fewer rows.¹

While the long format is often easier to read and preferable when communicating data to humans, making data tidy often involves the task of making data ‘longer’.

3.2 Transforming long data into wide data

To make data wider we use the function `tidyr::pivot_wider()`.

Assume that we start with our long data set introduced above and that this data set is bound to the name `data_raw_long`.

```
dplyr::glimpse(data_raw_long)
```

```

Rows: 8
Columns: 4
$ country <chr> "Germany", "Germany", "Germany", "Germany", "Greece", "Greece~
$ year    <int> 2017, 2017, 2018, 2018, 2017, 2017, 2018, 2018
$ variable <chr> "unemp", "gdp", "unemp", "gdp", "unemp", "gdp", "unemp", "gdp"
$ value   <dbl> 3.75, 53071.46, 3.38, 53431.39, 21.49, 28604.86, 19.29, 29141~

```

We will now use `tidyr::pivot_wider()` to make this data set wider. The most important arguments of this function are as follows:²

- `data` is the first argument and refers to the name of the data set to be considered
- `names_from` denotes the column that includes the names of the new columns

¹If we had a data set with three instead of two variables, the wide data set would have the same number of rows, but more columns, i.e. it would be wider in an absolute sense as well.

²The function allows for much more finetuning. You might read more about its argument in the help page of the function or the [online documentation](#).

- `values_from` denotes the column that includes the values to be allocated in the newly created cells

In the present case, the call would look like the following:

```
data_raw_wide <- tidyr::pivot_wider(  
  data = data_raw_long,  
  names_from = "variable",  
  values_from = "value")  
data_raw_wide
```

```
# A tibble: 4 x 4  
  country year unemp    gdp  
  <chr>   <int> <dbl> <dbl>  
1 Germany 2017  3.75 53071.  
2 Germany 2018  3.38 53431.  
3 Greece  2017 21.5  28605.  
4 Greece  2018 19.3  29141.
```

3.3 Transforming wide data into long data

Assume we want to take the data set `data_raw_wide` and re-create the original long version. To achieve this we can use `tidyr::pivot_longer()`. Again, let's have a look at the most important arguments:³

- `data` is the first argument and refers to the name of the data set to be considered
- `cols` denotes the columns that should be transformed into the longer format
- `names_to` denotes the column that includes the names of the new columns
- `values_to` denotes the column that includes the values to be allocated in the newly created cells

The arguments `names_to` and `values_to` are not strictly necessary since they have useful default values, but it's usually nicer to be explicit.

When specifying the argument `cols` you have several possibilities. The simplest variant is to pass a character vector with the column names. But note that you can save a lot of writing by using so called [selection helpers](#), a very useful tool we will learn about later.

In our case this amounts to:

```
data_raw_long <- tidyr::pivot_longer(  
  data = data_raw_wide,  
  cols = c("unemp", "gdp"),  
  names_to = "indicator",  
  values_to = "values")  
data_raw_long
```

³See the [online documentation](#) for a more complete description.

```
# A tibble: 8 x 4
  country year indicator values
  <chr>   <int> <chr>      <dbl>
1 Germany 2017 unemp      3.75
2 Germany 2017 gdp     53071.
3 Germany 2018 unemp      3.38
4 Germany 2018 gdp     53431.
5 Greece  2017 unemp     21.5
6 Greece  2017 gdp     28605.
7 Greece  2018 unemp     19.3
8 Greece  2018 gdp     29141.
```

4 Chaining wrangling tasks using pipes

Pipes are provided via the package `magrittr`, which is loaded automatically if you attach packages such as `tidyr` or `dplyr`. Pipes are short keywords that facilitate the development of very readable and transparent data wrangling code.

While there are many [different pipes](#), the one we will use extensively is `%>%`. It is always used at the end of a line, and it basically ‘throws’ the result of this line into the next line of code. In this line, you can refer to the intermediate result via `.`, or it is used implicitly as the first argument to the function you use.

In other words, `x %>% f(y)` (or `x %>% f(., y)`) is equivalent to `f(x, y)`.

But lets look at an example! Assume we start with the following data set:

```
pipe_data_raw <- data_raw %>%
  select(country, year, gdp, unemp)
pipe_data_raw
```

```
  country year      gdp unemp
  <char> <int>   <num> <num>
1: Germany 2017 53071.46  3.75
2: Germany 2018 53431.39  3.38
3: Greece  2017 28604.86 21.49
4: Greece  2018 29141.17 19.29
```

And what we want is this:

```
# A tibble: 4 x 4
  country name   `2017` `2018`
  <chr>   <chr>   <dbl>  <dbl>
1 Germany gdp     53071. 53431.
2 Germany unemp     3.75   3.38
3 Greece  gdp     28605. 29141.
4 Greece  unemp    21.5   19.3
```

We can do this by first making the data longer, and then wider. We could do this explicitly:

```
pipe_data_1 <- pivot_longer(  
  data = pipe_data_raw,  
  cols = all_of(c("gdp", "unemp"))  
  
pipe_data_2 <- pivot_wider(  
  data = pipe_data_1,  
  names_from = "year",  
  values_from = "value")
```

But we can also write this code more concisely using the pipe:

```
pipe_data_final <- pivot_longer(  
  data = pipe_data_raw,  
  cols = all_of(c("gdp", "unemp"))) %>%  
  pivot_wider(  
    data = .,  
    names_from = "year",  
    values_from = "value")
```

Or, since the pipe carries the intermediate result implicitly as the first argument to the function on the next line we can space the `data = .:`

```
pipe_data_final <- pivot_longer(  
  data = pipe_data_raw,  
  cols = all_of(c("gdp", "unemp"))) %>%  
  pivot_wider(  
    names_from = "year",  
    values_from = "value")
```

The `%>%`-pipe allows you to write very readable code, so make sure you use it often. But for code development it might be nevertheless helpful to write the intermediate steps explicitly.

5 Manipulating data with the dplyr package

The package `tidyr` is for turning messy data sets into tidy data sets. Another important part of data preparation is to manipulate an existing data set. To do this, the package `dplyr` contains many useful functions. You will regularly use functions from both the `tidyr` and `dplyr` package within your script for data preparation: often, you start with a messy data set, make it tidy using functions from `tidyr` and then use functions from `dplyr` to manipulate variables until your data set contains all the information you want. Thus, in the following we cover the most frequently used `dplyr`-functions. A complete documentation of the whole package can be found on the official [dplyr webpage](#).

5.1 Creating or manipulating variables

The function `dplyr::mutate()` is used both for manipulating existing columns as well as creating new columns. In the first case the name of the column that the result of `dplyr::mutate()` is written into already exists, in the second case we just use a new name.

Consider the following data set with the unemployment rate as an example:

```
data_unemp

# A tibble: 2 x 3
  year Germany Greece
<int> <dbl> <dbl>
1  2017    3.75  21.5
2  2018    3.38  19.3
```

Assume we want to express the percentage values via decimal numbers and, to this end, divide the values in the columns `Germany` and `Greece` by 100. We can use `dplyr::mutate()` to achieve this:

```
data_unemp %>%
  dplyr::mutate(
    Germany = Germany/100,
    Greece = Greece/100
  )
```

```
# A tibble: 2 x 3
  year Germany Greece
<int> <dbl> <dbl>
1  2017  0.0375  0.215
2  2018  0.0338  0.193
```

But we could use basically the same code to create a new column. Assume, for instance, we want a new column containing the difference between the unemployment rates:

```
data_unemp %>%
  dplyr::mutate(
    Difference = Greece - Germany
  )
```

```
# A tibble: 2 x 4
  year Germany Greece Difference
<int> <dbl> <dbl> <dbl>
1  2017    3.75  21.5    17.7
2  2018    3.38  19.3    15.9
```

The only difference here was that the left-hand-side name of the column to be manipulated did not exist before!

5.2 Filtering rows

The function `dplyr::filter()` can be used to filter rows according to certain conditions. The conditions must evaluate for each cell entry to either `TRUE` or `FALSE`, and only those rows for which they evaluate to `TRUE` remain in the data set. Often, the conditions are specified via logical operators, which were already covered in the tutorial on [vector types](#).

As always, the first argument to `dplyr::filter()` is `data`, i.e. the data set on which you want to operate. Then follow an arbitrary number of logical conditions on the different columns of the data set on question.

Assume we want to take the previously defined data set `data_raw_long`

```
data_raw_long

# A tibble: 8 x 4
  country year indicator values
  <chr>   <int> <chr>      <dbl>
1 Germany 2017 unemp       3.75
2 Germany 2017 gdp      53071.
3 Germany 2018 unemp       3.38
4 Germany 2018 gdp      53431.
5 Greece  2017 unemp      21.5
6 Greece  2017 gdp      28605.
7 Greece  2018 unemp      19.3
8 Greece  2018 gdp      29141.
```

and only want to keep data on GDP:

```
data_raw_long %>%
  dplyr::filter(indicator=="gdp")

# A tibble: 4 x 4
  country year indicator values
  <chr>   <int> <chr>      <dbl>
1 Germany 2017 gdp      53071.
2 Germany 2018 gdp      53431.
3 Greece  2017 gdp      28605.
4 Greece  2018 gdp      29141.
```

You may also combine more than one condition in one call to `dplyr::filter()`. If you also want to filter by values and only keep those rows where the value is below 50.000:


```
data_raw_long %>%
  dplyr::filter(
    indicator=="gdp",
    values < 50000)

# A tibble: 2 x 4
  country year indicator values
  <chr>   <int> <chr>      <dbl>
1 Greece  2017 gdp         28605.
2 Greece  2018 gdp         29141.
```

5.3 Selecting columns

When you only want to keep certain *columns* we speak of selecting (rather than filtering) columns. This is done - surprise - via the function `dplyr::select()`:

There are different ways for selecting columns. In any case, the first argument is, again, *data*, i.e. the data set considered. In the present case, we will refer to `data_raw`:

```
data_raw

  country year unemp      gdp
  <char> <int> <num>    <num>
1: Germany 2017  3.75 53071.46
2: Germany 2018  3.38 53431.39
3: Greece  2017 21.49 28604.86
4: Greece  2018 19.29 29141.17
```

Then we can now select columns using one of the following two options. First, you may refer to columns via their *name*:

```
data_raw %>%
  dplyr::select(country, year, unemp)

  country year unemp
  <char> <int> <num>
1: Germany 2017  3.75
2: Germany 2018  3.38
3: Greece  2017 21.49
4: Greece  2018 19.29
```

But this is often error-prone. Thus, it is usually better to refer to the columns via [selection helpers](#), which is also the most flexible version. While we will learn about more selection helpers later, here we will mainly use `dplyr::all_of()`, which accepts a character vector of column names:

```
data_raw %>%
  dplyr::select(dplyr::all_of(c("country", "year", "gdp")))
```

```
  country year      gdp
  <char> <int>   <num>
1: Germany 2017 53071.46
2: Germany 2018 53431.39
3: Greece  2017 28604.86
4: Greece  2018 29141.17
```

Caution: Do not forget the `c()`! Otherwise:

```
data_raw %>%
  dplyr::select(dplyr::all_of("country", "year", "gdp"))
```

```
Error in `dplyr::select()`:
i In argument: `dplyr::all_of("country", "year", "gdp")`.
Caused by error in `dplyr::all_of()`:
! unused arguments ("year", "gdp")
```

It is also possible to define the column vector first:

```
cols2keep <- c("country", "year", "gdp")
data_raw %>%
  dplyr::select(dplyr::all_of(cols2keep))
```

```
  country year      gdp
  <char> <int>   <num>
1: Germany 2017 53071.46
2: Germany 2018 53431.39
3: Greece  2017 28604.86
4: Greece  2018 29141.17
```

Selection helpers allow you to specify the columns to be selected more generally. For instance, `dplyr::ends_with()` allows you to select all columns that end with a certain pattern:

```
data_raw %>%
  dplyr::select(dplyr::ends_with("p"))
```

```
  unemp      gdp
  <num>   <num>
1:  3.75 53071.46
2:  3.38 53431.39
3: 21.49 28604.86
4: 19.29 29141.17
```

In any case, you can also specify the columns you want to *drop*. To this end, just add a `-` in front of the selection command:

```
data_raw %>%
  dplyr::select(-unemp, -gdp)

  country year
  <char> <int>
1: Germany 2017
2: Germany 2018
3: Greece 2017
4: Greece 2018
```

5.4 Merging data sets

Often you need to obtain data from different sources. To merge all your data in one single data set, you need to use one of the `*_join()` functions of the `dplyr`-package. These functions all merge two data sets, but the way they do it is different. Below we illustrate the most common joins (so called [mutating joins](#)).⁴

As a guiding example we use the following two data sets:

First, data on income inequality from the [SWIID data base](#):

```
gini_join

  country year gini
  <char> <int> <num>
1: Greece 2015 33.1
2: Greece 2017 32.2
```

Second, data on GDP per capita from the [World Bank](#):

```
gdp_join

  country year gdp
  <char> <int> <num>
1: Germany 2017 53071.46
2: Germany 2018 53431.39
3: Greece 2017 28604.86
4: Greece 2018 29141.17
```

We will consider the behavior of the following four functions:

⁴The other join types are [filtering joins](#) and [nest joins](#). You find more information in the web, and more details on the underlying theory in [chapter 13 of R4DS](#).

- `dplyr::left_join()`
- `dplyr::right_join()`
- `dplyr::full_join()`
- `dplyr::inner_join()`

All of them accept the following arguments:

- `x` and `y`: the two data sets to be merged
- `by`: a vector or a named vector indicating on which columns the data sets should be merged

It's easier to understand their behavior if you contrast them directly with each other. First, `dplyr::left_join()` joins the data sets on those columns mentioned in `by`, but only keeps those rows for which `x` contains an observation:

```
dplyr::left_join(x = gdp_join, y = gini_join, by = c("country", "year"))
```

```
  country year      gdp gini
  <char> <int>   <num> <num>
1: Germany 2017 53071.46   NA
2: Germany 2018 53431.39   NA
3: Greece  2017 28604.86  32.2
4: Greece  2018 29141.17   NA
```

This might introduce NAs into the columns of `y`, but not of `x`. It is the other way around for `dplyr::right_join()`: it only keeps those rows for which `y` contains an observation:

```
dplyr::right_join(x = gdp_join, y = gini_join, by = c("country", "year"))
```

```
  country year      gdp gini
  <char> <int>   <num> <num>
1: Greece  2017 28604.86  32.2
2: Greece  2015      NA  33.1
```

`dplyr::inner_join()` is the most restrictive option, keeping only those rows for which both `x` and `y` contain an observation (i.e. it never introduces NAs):

```
dplyr::inner_join(x = gdp_join, y = gini_join, by = c("country", "year"))
```

```
  country year      gdp gini
  <char> <int>   <num> <num>
1: Greece  2017 28604.86  32.2
```

Finally, `dplyr::full_join()` contains all rows that occur at least in `x` or `y`, i.e. it might introduce NAs in both the columns of `x` and `y`:

```
dplyr::full_join(x = gdp_join, y = gini_join, by = c("country", "year"))
```

	country	year	gdp	gini
	<char>	<int>	<num>	<num>
1:	Germany	2017	53071.46	NA
2:	Germany	2018	53431.39	NA
3:	Greece	2017	28604.86	32.2
4:	Greece	2018	29141.17	NA
5:	Greece	2015	NA	33.1

Two final remarks: first, the types of the columns on which you merge the data sets must be equal, otherwise R throws an error:

```
gini_join <- dplyr::mutate(gini_join, year=as.character(year))
dplyr::left_join(x = gdp_join, y = gini_join, by = c("country", "year"))
```

```
Error in `dplyr::left_join()` :
! Can't join `x$year` with `y$year` due to incompatible types.
i `x$year` is a <integer>.
i `y$year` is a <character>.
```

Just enforce the correct data type before merging:

```
gini_join %>%
  dplyr::mutate(year=as.integer(year)) %>%
  dplyr::left_join(x = gdp_join, y = ., by = c("country", "year"))
```

	country	year	gdp	gini
	<char>	<int>	<num>	<num>
1:	Germany	2017	53071.46	NA
2:	Germany	2018	53431.39	NA
3:	Greece	2017	28604.86	32.2
4:	Greece	2018	29141.17	NA

Second, you can also merge on columns with different names by passing named vectors to by:

```
gini_join <- gini_join %>%
  mutate(Year=as.double(year)) %>%
  select(-year)
gini_join
```

```

  country  gini  Year
  <char> <num> <num>
1: Greece 33.1 2015
2: Greece 32.2 2017

```

Then this does not work any more:

```

dplyr::left_join(
  x = gdp_join, y = gini_join,
  by = c("country", "year"))

```

```

Error in `dplyr::left_join()`:
! Join columns in `y` must be present in the data.
x Problem with `year`.

```

But the named vector fixes it:

```

dplyr::left_join(
  x = gdp_join, y = gini_join,
  by = c("country", "year"="Year"))

```

```

  country  year      gdp  gini
  <char> <num>   <num> <num>
1: Germany 2017 53071.46   NA
2: Germany 2018 53431.39   NA
3: Greece  2017 28604.86 32.2
4: Greece  2018 29141.17   NA

```

5.5 Grouping and summarising data

The final challenge we consider involves the application of two functions (at least in most cases): `dplyr::group_by()` and `dplyr::summarize()`.

`dplyr::group_by()` is usually used within pipes and groups a data set according to an arbitrary number of variables, each of which must refer to one (and only one) column. It produces a grouped data set:

```

data_raw_grouped <- data_raw %>%
  dplyr::group_by(country)
data_raw_grouped

```

```

# A tibble: 4 x 4
# Groups:   country [2]
  country  year unemp  gdp
  <chr>   <int> <dbl> <dbl>

```

```
1 Germany 2017 3.75 53071.
2 Germany 2018 3.38 53431.
3 Greece 2017 21.5 28605.
4 Greece 2018 19.3 29141.
```

As you can see, the data set is now grouped by the variable `country`. We can specify the grouping variables the same way we selected columns in the context of `dplyr::select()` (see above).

Grouped data sets are usually not interesting in itself. You can ungroup them via `dplyr::ungroup()`:

```
data_raw_grouped %>%
  dplyr::ungroup()

# A tibble: 4 x 4
  country year unemp  gdp
  <chr>   <int> <dbl> <dbl>
1 Germany 2017 3.75 53071.
2 Germany 2018 3.38 53431.
3 Greece 2017 21.5 28605.
4 Greece 2018 19.3 29141.
```

They are most useful if used in conjunction with `dplyr::summarise()`, which summarizes variables. While it can be used without `dplyr::group_by()`, it is most useful if it is applied to grouped data sets: then it computes summary statistics for each group.

```
data_raw %>%
  summarise(
    avg_gdp=mean(gdp)
  )

avg_gdp
1 41062.22
```

```
data_raw_grouped %>%
  summarise(
    avg_gdp=mean(gdp)
  )

# A tibble: 2 x 2
  country avg_gdp
  <chr>    <dbl>
1 Germany 53251.
2 Greece 28873.
```

You can also summarized more than one column:

```

data_raw_grouped %>%
  summarise(
    avg_gdp=mean(gdp),
    median_unemp=median(unemp)
  )

# A tibble: 2 x 3
  country avg_gdp median_unemp
  <chr>    <dbl>    <dbl>
1 Germany 53251.    3.57
2 Greece  28873.    20.4

```

Note that `dplyr::summarise()` drops all columns that it is not asked to compute summary statistics for, except potential grouping variables. There are also some advanced features of the functions, which are explained in the official [documentation](#).

6 A final example

Thanks to the pipes it is easy to chain the many different wrangling steps into one function call. But in practice it is very important that you (1) inspect your raw data very clearly, (2) write down the desired end product, and then (3) think about the single steps required to reach the desired outcome. Each step should address one (and only one) wrangling challenge.

To illustrate this, assume we start with this raw data:

```
str(data_final_expl)
```

```

Classes 'data.table' and 'data.frame':  88 obs. of  5 variables:
 $ country: chr  "Austria" "Austria" "Austria" "Austria" ...
 $ iso3c  : chr  "AUT" "AUT" "AUT" "AUT" ...
 $ year   : int   2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 ...
 $ unemp  : num   4.69 4.01 4.85 4.78 5.83 ...
 $ gdp    : num  46470 46879 47419 47633 48633 ...
 - attr(*, ".internal.selfref")=<externalptr>

```

What we want to do is to compute the difference in the country averages of the variables for the time periods 2005-2007 and 2010-2013. This would look like this:⁵

To achieve this, we need to chain a number of wrangling challenges introduced above:

⁵We have not yet covered the function `ifelse()`. It contains a logical test as a first argument, and then two further arguments: one return value for the case in which the test returns `TRUE`, and one for which the test returns `FALSE`.


```
data_final_expl %>%
  dplyr::mutate(
    period = ifelse(
      test = year %in% 2005:2007,
      yes = "Early",
      no = ifelse(
        test = year %in% 2010:2013,
        yes = "Late",
        no = NA))
  ) %>%
  dplyr::filter(!is.na(period)) %>%
  group_by(country, period) %>%
  summarise(
    avg_unemp = mean(unemp),
    avg_gdp = mean(gdp),
    .groups = "drop"
  ) %>%
  tidyr::pivot_longer(
    cols = dplyr::all_of(c("avg_unemp", "avg_gdp")),
    names_to = "indicator",
    values_to = "values") %>%
  tidyr::pivot_wider(
    names_from = "period",
    values_from = "values") %>%
  dplyr::mutate(
    Difference = Late - Early
  ) %>%
  dplyr::select(-Early, -Late) %>%
  tidyr::pivot_wider(
    names_from = "indicator",
    values_from = "Difference")
```

```
# A tibble: 4 x 3
  country avg_unemp avg_gdp
  <chr>    <dbl>    <dbl>
1 Austria  -0.346   1899.
2 Germany  -4.18    3570.
3 Greece   11.5    -6234.
4 Italy     3.02    -3014.
```

If you have trouble understanding the many steps, redo the computations yourself and always check what happens in the single steps. It is not a good idea to write such a long chain in one working step, but rather to make sure that you always understand what happens in any single step, and then expand the chain one by one.